



Fig. 5





DATE: SAT MAR 21 1998 17:54:06 -0800 FROM: JOE ADVISOR < ja@advisori s.com>

MIME-Version 1.0

**ORGANIZATION: Universe Communications, Inc.** 

SUBJECT: You need to upgrade Advice Reader

**RELEVANT-WHEN:** version of file "Advice.exe"

< 5.0

CONTENT-TYPE: text/html; charset us=ascii

<HTML><BODY>

Click here to <A HREF = "http://advisories.com/a" download </A> the latest version of Advice Reader.


</BODY></HTML>

SUBJECT LINE

RELEVANCE CLAUSE


MESSAGE BODY ~8


Fy8



## **Expression:**

(not exists File 'System' of System Folder) or (not exists File 'MacTCP DNR' of System Folder)





Fy 12

World Property Obj ct Property Object
Object
Object
Object

World System Folder System Folder Size of Integer

Application

Name of

String

F-213

The second secon

New Property of Existing Data Type

New Property of Existing Data Type

New Data Type

Property of New Data Type

Version Property of New Data Type

Integer

String String String

Integer

Fa. 14

# **Inspector Library**

### Macintosh "Version" Inspector


(version, "major revision", maj-rev-meth) (version, "minor revision", min-rev-meth) (version, "stage", stage-meth) (version, "country", country-meth) (version, "string 1", string 1-meth) (version, "string 2", string 2-meth)


Phrase Definitions Data type associations Method associations


METHOD maj-rev-meth;
METHOD min-rev-meth;
METHOD stage-meth;
METHOD country-meth;
METHOD string 1-meth;
METHOD string 2-meth;

**Method Definitions** 

Fg. 15







# Author Writes Document With Relevance Clauses And Inspector Clauses

1561

143

User Opens Document
With Viewer Containing
Relevance Filter And
Inspector Interpolation


User Views Document
Customized For His
Local Environment

## **Exampl Source**


\$IF(Computer='Macintosh'){
As a Macintosh user, you know how to navigate in the Finder, in particular how to use the Find File command.
}
\$IF(Computer='PC'){
As a PC user, you know how to navigate in the shell, in particular how to use the Start button.
}


# **Example Source**


Your Machine has \$\$Size of RAM\$\$ Mb of Memory. Your Hard Disk has \$\$Size of Boot Volume\$\$ total storage.




Fiz. 20







And a state of the state of the



Individual

Machine<sub>2</sub>

**Evaluates** 

258

Machine, Sends

**Back Value To** 

Master